



estebro®

Puertas Correderas Colgadas Metálicas

Portas Corrediças Perduradas Metálicas

Metallic Hanging Sliding Doors

Portes Coulissantes Suspendues Métalliques



ES

- » Puertas correderas colgadas
- » Puertas correderas plegables solapadas
- » Puertas articuladas en curva
- » Instalación paso a paso



PO

- » Portas corrediças penduradas
- » Portas corrediças dobráveis com lapela
- » Portas articuladas em curva
- » Instalação passo a passo



EN

- » Hanging sliding doors
- » Sliding folding doors with overlapping panels
- » Sliding curved doors
- » Step by step assembly



FR

- » Portes coulissantes suspendues
- » Portes pliantes superposées
- » Portes coulissantes cintrées
- » Installation pas à pas



Herrajes para puertas correderas colgadas

Ferragens para portas corrediças penduradas

Fittings for hanging sliding doors

Ferrures pour portes coulissantes suspendues

Hasta

60 kg

Acero y acero inoxidable

Até

150 kg

Aço y aço inox

Up to

300 kg

Steel and stainless steel


Jusqu'à

450 kg

Acier et acier inox

1.200 kg

2.000 kg



Herrajes para puertas correderas plegables solapadas

Ferragens para portas corrediças dobráveis com lapela

Fittings for sliding folding doors with overlapping panels

Ferrures pour portes pliantes à panneaux superposés

Hasta

50 kg

Acero y acero inoxidable

Até

100 kg

Aço y aço inox

Up to

Steel and stainless steel

Jusqu'à

Acier et acier inox



Herrajes para puertas articuladas en curva

Ferragens para portas articuladas em curva

Fittings for sliding curved doors

Ferrures pour portes coulissantes cintrées

Hasta

75 kg

Até

150 kg

Up to

200 kg

Jusqu'à

Puertas correderas colgadas

Portas corrediças penduradas

Hanging sliding doors

Portes coulissants suspendues

Hasta

Até

Up to

Jusqu'à

60 kg

150 kg

300 kg

450 kg

1.200 kg

2.000 kg

ES

Colocando las abrazaderas de sujeción cada 500 mm, y suponiendo una apertura y cierre media de 8 veces al día durante 260 días al año, estos herrajes están diseñados y ensayados para una duración aproximada de 20 a 25 años.

Se recomienda revisar las uniones de las abrazaderas al menos una vez cada seis meses, verificando que se encuentran en perfectas condiciones.

PO

Colocando as abraçadeiras de sujeição cada 500 mm, e supondo uma abertura e um fecho de 8 vezes o dia durante 260 dias ao ano, estas Ferragens são desenhadas e ensaiadas para uma duração aproximada de 20 a 25 anos.

Recomendamos revisar as unioes das abraçadeiras por lo menos uma vez cada seis meses, verificando que se encontram em perfeitas condições.

EN

Installing the rail supports every 500 mm, and assuming an opening and closing average of 8 times a day during 260 days a year, our fittings are designed and tested for an estimated durability of around 20 or 25 years.

It is recommended to check the joints of the rail support at least once every six months, verifying that they are in perfect conditions.

FR

Ces ferrures, installées avec les supports de fixation chaque 500 mm et en calculant une ouverture et fermeture moyenne de 8 fois par jour pendant 260 jours par an, sont dessinées et testées pour une durée approximative de 20 à 25 ans.

On recommande de réviser les jonctions des supports au moins une fois chaque six mois, en vérifiant qu'elles sont en bon état.

**Para puerta corredera hasta**

Para porta corrediça até


For sliding door up to

Pour porte coulissante jusqu'à



60 kg**M**
etálicas**M**
etálicas**M**
etálicas**M**
etálicas**estebro®**

Cod. 473  Rail superior U-30 Trilho superior U-30 Top rail U-30 Rail supérieur U-30	 3 m  3,70
Cod. 4735  Curva superior U-30 Curva superior U-30 Top bend U-30 Coude supérieur U-30	 1 und  1,00
Cod. 47310  Empalme rail U-30 Conexão para trilho U-30 Joint for U-30 rail Joint pour rail U-30	 4  1,45
Cod. 4591  Abrazadera rail U-30 Abrãçadeira trilho U-30 U-30 rail support Support pour rail U-30	 8  0,80
Cod. 47301  Tope rail U-30 Topo trilho U-30 U-30 rail stopper Butée rail U-30	 10  0,45
Cod. 459  Rollapar doble U-30 Rodízio duplo U-30 U-30 double trolley Chariot double U-30	 12  1,65
Cod. 790  Guiador inferior U-19 Guia inferior U-19 Bottom guide U-19 Guide inférieur U-19	 8  1,75
Cod. 471  Rail inferior O-19 Trilho inferior O-19 Bottom rail O-19 Rail inférieur O-19	 3 m  5,28
Cod. 474  Rail inferior U-19 Trilho inferior U-19 Bottom rail U-19 Rail inférieur U-19	 3 m  6,49
Cod. 4812  Curva inferior U-19 para U-30 Curva inferior U-19 para U-30 Bottom bend U-19 for U-30 Coude inférieur U-19 pour U-30	 1 und

Cod. 473





Cod. 47310




Cod. 4591





Cod. 459




Cod. 790




Cod. 47301



Cod. 471



Cod. 474





Para puerta corredera hasta
Para porta corrediça até
For sliding door up to
Pour porte coulissante jusqu'à

150 kg



estebro®


Cod. 478		Raíl superior U-40 Trilho superior U-40 Top rail U-40 Rail supérieur U-40		3 m		4,45
Cod. 4783		Abrazadera raíl U-40 para soldar Abraçadeira trilho U-40 para soldar U-40 rail support to weld Support à souder rail U-40		8		1,06
Cod. 4784		Abrazadera raíl U-40 pared con tornillo Abraçadeira trilho U-40 parede com parafuso U-40 rail support with screw Support à mur avec vis rail U-40		8		1,75
Cod. 4785		Abrazadera raíl U-40 pared soldada Abraçadeira trilho U-40 parede soldada U-40 welded rail support to the wall Support à mur soudé rail U-40		8		1,75
Cod. 4786		Abrazadera raíl U-40 ajustable Abraçadeira trilho U-40 ajustável U-40 adjustable rail support Support réglable rail U-40		8		1,45
Cod. 4787		Abrazadera raíl U-40 a techo Abraçadeira trilho U-40 para teto U-40 rail support to the ceiling Support à plafond rail U-40		8		1,95
Cod. 47810		Empalme para raíl U-40 Conexão para trilho U-40 Joint for U-40 rail Joint pour rail U-40		3		1,42
Cod. 47801		Tope raíl U-40 Topo trilho U-40 U-40 rail stopper Butée rail U-40		10		0,57
Cod. 461		Rollapar simple U-40 acero Rodízio simple U-40 aço Simple trolley U-40 steel Chariot simple U-40 acier		10		3,35
Cod. 460		Rollapar simple U-40 nylon Rodízio simple U-40 nylon Simple trolley U-40 nylon Chariot simple U-40 nylon		10		3,35
Cod. 790		Guiador inferior U-19 Guia inferior U-19 Bottom guide U-19 Guide inférieur U-19		8		1,75
Cod. 471		Raíl inferior O-19 Trilho inferior O-19 Bottom rail O-19 Rail inférieur O-19		3 m		5,28
Cod. 474		Raíl inferior U-19 Trilho inferior U-19 Bottom rail U-19 Rail inférieur U-19				6,49




ACERO INOXIDABLE - INOX - STAINLESS STEEL AISI 316

Cod. 472		Rail superior U-40 Trilho superior U-40 Top rail U-40 Rail supérieur U-40		
			3 m	4,45
Cod. 47830		Abrazadera rail U-40 para soldar Abraçadeira trilho U-40 para soldar U-40 rail support to weld Support à souder rail U-40		
			3	0,45
Cod. 47850		Abrazadera rail U-40 pared soldada Abraçadeira trilho U-40 parede soldada U-40 welded rail support to the wall Support à mur soudé rail U-40		
			3	0,70
Cod. 47860		Abrazadera rail U-40 ajustable Abraçadeira trilho U-40 ajustável U-40 adjustable rail support Support réglable rail U-40		
			3	0,55
Cod. 47870		Abrazadera rail U-40 a techo Abraçadeira trilho U-40 para teto U-40 rail support to the ceiling Support à plafond rail U-40		
			3	0,79
Cod. 47811		Empalme para rail U-40 Conexão para trilho U-40 Joint for U-40 rail Joint pour rail U-40		
			3	1,47
Cod. 47812		Tope rail U-40 Topo trilho U-40 U-40 rail stopper Butée rail U-40		
			10	0,57
Cod. 468		Rollapar simple U-40 Rodízio simple U-40 Simple trolley U-40 Chariot simple U-40		
			10	3,35
Cod. 791		Guiador inferior U-19 Guia inferior U-19 Bottom guide U-19 Guide inférieur U-19		
			8	1,75
Cod. 486		Rail inferior U-19 Trilho inferior U-19 Bottom rail U-19 Rail inférieur U-19		
			3 m	4,36


Cods. 478 - 472




Cods. 4783 - 47830




Cod. 4784




Cods. 4785 - 47850




Cods. 4786 - 47860




Cods. 4787 - 47870




Cods. 47810 - 47811




Cods. 47801 - 47812




Cods. 461- 460 - 468




Cods. 790 - 791



Cod. 471



Cods. 474 - 486



*Cod.486 espesor, espessura, thickness, épaisseur 2 mm



Cod. 478		Raíl superior U-40 Trilho superior U-40 Top rail U-40 Rail supérieur U-40		3 m		4,45
Cod. 4783		Abrazadera raíl U-40 para soldar Abraçadeira trilho U-40 para soldar U-40 rail support to weld Support à souder rail U-40		8		1,06
Cod. 4784		Abrazadera raíl U-40 pared con tornillo Abraçadeira trilho U-40 parede com parafuso U-40 rail support with screw Support à mur avec vis rail U-40		8		1,75
Cod. 4785		Abrazadera raíl U-40 pared soldada Abraçadeira trilho U-40 parede soldada U-40 welded rail support to the wall Support à mur soudé rail U-40		8		1,75
Cod. 4786		Abrazadera raíl U-40 ajustable Abraçadeira trilho U-40 ajustável U-40 adjustable rail support Support réglable rail U-40		8		1,45
Cod. 4787		Abrazadera raíl U-40 a techo Abraçadeira trilho U-40 para teto U-40 rail support to the ceiling Support à plafond rail U-40		8		1,95
Cod. 47810		Empalme para raíl U-40 Conexão para trilho U-40 Joint for U-40 rail Joint pour rail U-40		3		1,42
Cod. 47801		Tope raíl U-40 Topo trilho U-40 U-40 rail stopper Butée rail U-40		10		0,57
Cod. 466		Rollapar doble U-40 acero Rodízio duplo U-40 aço Double trolley U-40 steel Chariot double U-40 acier		8		4,05
Cod. 463		Rollapar doble U-40 nylon Rodízio duplo U-40 nylon Double trolley U-40 nylon Chariot double U-40 nylon		8		4,05
Cod. 790		Guiador inferior U-19 Guia inferior U-19 Bottom guide U-19 Guide inférieur U-19		8		1,75
Cod. 471		Raíl inferior O-19 Trilho inferior O-19 Bottom rail O-19 Rail inférieur O-19		3 m		5,28
Cod. 474		Raíl inferior U-19 Trilho inferior U-19 Bottom rail U-19 Rail inférieur U-19				6,49



Para puerta corredera hasta
Para porta corrediça até
For sliding door up to
Pour porte coulissante jusqu'à

300 kg




estebro®


ACERO INOXIDABLE - INOX - STAINLESS STEEL AISI 316

Cod. 472		Rail superior U-40 Trilho superior U-40 Top rail U-40 Rail supérieur U-40		3 m		4,45
Cod. 47830		Abrazadera rail U-40 para soldar Abraçadeira trilho U-40 para soldar U-40 rail support to weld Support à souder rail U-40		3		0,45
Cod. 47850		Abrazadera rail U-40 pared soldada Abraçadeira trilho U-40 parede soldada U-40 welded rail support to the wall Support à mur soudé rail U-40		3		0,70
Cod. 47860		Abrazadera rail U-40 ajustable Abraçadeira trilho U-40 ajustável U-40 adjustable rail support Support réglable rail U-40		3		0,55
Cod. 47870		Abrazadera rail U-40 a techo Abraçadeira trilho U-40 para teto U-40 rail support to the ceiling Support à plafond rail U-40		3		0,79
Cod. 47811		Empalme para rail U-40 Conexão para trilho U-40 Joint for U-40 rail Joint pour rail U-40		3		1,47
Cod. 47812		Tope rail U-40 Topo trilho U-40 U-40 rail stopper Butée rail U-40		10		0,57
Cod. 469		Rollapar doble U-40 Rodízio duplo U-40 Double trolley U-40 Chariot double U-40		8		4,05
Cod. 791		Guiador inferior U-19 Guia inferior U-19 Bottom guide U-19 Guide inférieur U-19		8		1,75
Cod. 486		Rail inferior U-19 Trilho inferior U-19 Bottom rail U-19 Rail inférieur U-19		3 m		4,36


Cods. 478 - 472




Cods. 4783 - 47830




Cod. 4784




Cods. 4785 - 47850




Cods. 4786 - 47860




Cods. 4787 - 47870




Cod. 47810




Cods. 47801 - 47812




Cods. 466 - 463 - 469




Cods. 790 - 791



Cod. 471



Cods. 474 - 486



*Cod.486 espesor, spessore, thickness, épaisseur 2 mm



Para puerta corredera hasta
Para porta corrediça até
For sliding door up to
Pour porte coulissante jusqu'à

450 kg



estebro®


Cod. 479		Rail superior U-60 Trilho superior U-60 Top rail U-60 Rail supérieur U-60		3 m		10,60
Cod. 4793		Abrazadera rail U-60 para soldar Abraçadeira trilho U-60 para soldar U-60 rail support to weld Support à souder rail U-60		5		1,75
Cod. 4794		Abrazadera rail U-60 pared con tornillo Abraçadeira trilho U-60 parede com parafuso U-60 rail support with screw Support à mur avec vis rail U-60		5		2,75
Cod. 4795		Abrazadera rail U-60 pared soldada Abraçadeira trilho U-60 parede soldada U-60 welded rail support to the wall Support à mur soudé rail U-60		5		2,75
Cod. 4796		Abrazadera rail U-60 ajustable Abraçadeira trilho U-60 ajustável U-60 adjustable rail support Support réglable rail U-60		5		2,30
Cod. 47910		Empalme para rail U-60 Conexão para trilho U-60 Joint for U-60 rail Joint pour rail U-60		2		1,93
Cod. F479		Tope rail U-60 Topo trilho U-60 U-60 rail stopper Butée rail U-60		6		2,12
Cod. 467		Rollapar doble U-60 nylon Rodízio duplo U-60 nylon Double trolley U-60 nylon Chariot double U-60 nylon		4		3,45
Cod. 4675		Rollapar doble U-60 acero Rodízio duplo U-60 aço Double trolley U-60 steel Chariot double U-60 acier		4		3,45
Cod. 790		Guiador inferior U-19 Guía inferior U-19 Bottom guide U-19 Guide inférieur U-19		8		1,75
Cod. 471		Rail inferior O-19 Trilho inferior O-19 Bottom rail O-19 Rail inférieur O-19		3 m		5,28
Cod. 474		Rail inferior U-19 Trilho inferior U-19 Bottom rail U-19 Rail inférieur U-19		3 m		6,49




ACERO INOXIDABLE - INOX - STAINLESS STEEL AISI 316

Cod. 485		Rail superior U-60 Trilho superior U-60 Top rail U-60 Rail supérieur U-60	AISI 304		3 m		11
Cod. 47930		Abrazadera rail U-60 para soldar Abraçadeira trilho U-60 para soldar U-60 rail support to weld Support à souder rail U-60			3		1,10
Cod. 47950		Abrazadera rail U-60 pared soldada Abraçadeira trilho U-60 parede soldada U-60 welded rail support to the wall Support à mur soudé rail U-60			3		1,60
Cod. 47960		Abrazadera rail U-60 ajustable Abraçadeira trilho U-60 ajustável U-60 adjustable rail support Support réglable rail U-60			3		1,30
Cod. 47911		Empalme para rail U-60 Conexão para trilho U-60 Joint for U-60 rail Joint pour rail U-60			2		1,92
Cod. 484		Rollapar doble U-60 nylon Rodízio duplo U-60 nylon Double trolley U-60 nylon Chariot double U-60 nylon			4		3,45
Cod. 791		Guiador inferior U-19 Guia inferior U-19 Bottom guide U-19 Guide inférieur U-19			8		1,75
Cod. 486		Rail inferior U-19 Trilho inferior U-19 Bottom rail U-19 Rail inférieur U-19			3 m		4,36


Cods. 479 - 485




Cods. 4793 - 47930




Cod. 4794




Cods. 4795 - 47950




Cods. 4796 - 47960




Cod. F479




Cods. 47910 - 47911




Cods. 790 - 791



Cod. 471





Cods. 474 - 486



*Cod.486 espesor, espessura, thickness, épaisseur 2 mm


Cods. 467 - 4675 - 484






Cod. 470		Rail superior U-70 Trilho superior U-70 Top rail U-70 Rail supérieur U-70		3 m		24,54
Cod. 470010		Empalme para rail U-70 Conexão para trilho U-70 Joint for U-70 rail Joint pour rail U-70		2		5,20
Cod. 47001		Abrazadera rail U-70 ajustable Abraçadeira trilho U-70 ajustável U-70 adjustable rail support Support réglable rail U-70		2		5,80
Cod. 47002		Fijación a pared abrazadera U-70 Escuadra parafusar abraçadeira U-70 Fixation to wall for U-70 support Equerre à visser pour support réglable U-70		4		5,75
Cod. 47003		Fijación regulable abrazadera U-70 atornillar Fixação regulável parafusar abraçadeira U-70 Regulating fixation, to screw, for U-70 supports Fixation réglable à visser pour supports U-70		2		3,20
Cod. 47201		Tope rail U-70 Topo trilho U-70 U-70 rail stopper Butée rail U-70		4		1,80
Cod. 464		Rollapar simple U-70 Rodízio simple U-70 Simple trolley U-70 Chariot simple U-70		2		5,15
Cod. 465		Rollapar doble U-70 Rodízio duplo U-70 Double trolley U-70 Chariot double U-70		2		11,40
Cod. 5026		Guiador inferior U-50 Guia inferior U-50 Bottom guide U-50 Guide inférieur U-50		5		1,86
Cod. 5020		Rail inferior U-50 Trilho inferior U-50 Bottom rail U-50 Rail inférieur U-50		3 m		10,61


Cod. 470




Cod. 470010




Cod. 47001




Cod. 47002




Cod. 47003




Cod. 464




Cod. 47201




Cod. 465



Cod. 5026



Cod. 5020



Puertas correderas plegables solapadas

Portas corrediças dobráveis com lapela

Sliding folding doors with overlapping panels

Portes pliantes à panneaux superposés

Hasta

Até

Up to

Jusqu'à

50 kg

100 kg



ES Dos modelos de puertas correderas plegables solapadas hasta un peso máximo por hoja de 100 kg.

Es una solución que combina una apertura de gran luz, con la posibilidad de tener portillo, consiguiendo reducir el espacio ocupado en posición de apertura.

EN Two types of sliding doors with overlapping panels with a maximum weight per panel of 100 kg.

It is a solution that combines a wide opening length with the possibility of having a gate, managing to reduce the space when the door is open.

PO Dois modelos de portas corredeiras dobráveis solapadas até um peso máximo de 100 kg por folha.

É uma solução que combina uma abertura de grande luz com a possibilidade de ter portilha, conseguindo reduzir o espaço ocupado em posição de abertura.

FR Deux modèles de portes coulissantes pliantes à panneaux superposés avec un poids maximal de 100 kg par panneau.

Cette solution permet de combiner une ouverture de très grande largeur et la possibilité d'avoir un portillon, et réduire de cette façon l'espace occupé en position d'ouverture.




ES Para puertas pesadas de más de 400 kg. es recomendable colocar una abrazadera suplementaria.

PO Para portas pesadas de mais de 400 kg é recomendável colocar uma abraçadeira suplementaria.

EN For heavy duty doors of more than 400 kg it is recommended to install an extra rail support.

FR Pour portes lourdes de plus de 400 kg, il est recommandable d'installer un support pour rail supplémentaire.



ES Para un buen funcionamiento, la anchura de las hojas no debe exceder los 900 mm.

PO Para um bom funcionamento, a largura das folhas não deve exceder os 900mm.

EN For a good operation the wide of the panels should not be more than to 900 mm.

FR Pour un bon fonctionnement, la longueur des panneaux ne doit pas excéder de 900 mm.



ES Los pernios deben estar bien alineados entre si para conseguir una correcta articulación de las hojas.

PO As dobradiças devem estar alinhadas entre si para conseguir uma correta articulação das folhas.

EN The hinges should be perfectly lined-up between them for a correct articulation of the panels.

FR Les paumelles doivent être bien alignées pour obtenir une articulation correcte des panneaux.



ES El guiador inferior es indispensable para el buen funcionamiento.

PO A guia inferior é indispensável para o bom funcionamento.

EN The bottom guide is indispensable for its proper working system.

FR Le guide inférieur est indispensable pour le bon fonctionnement.



Cod. 478		Rail superior U-40 Trilho superior U-40 Top rail U-40 Rail supérieur U-40		
			3 m	4,45
Cod. 4783		Abrazadera rail U-40 para soldar Abraçadeira trilho U-40 para soldar U-40 rail support to weld Support à souder rail U-40		
			8	1,06
Cod. 4784		Abrazadera rail U-40 pared con tornillo Abraçadeira trilho U-40 parede com parafuso U-40 rail support with screw Support à mur avec vis rail U-40		
			8	1,75
Cod. 4785		Abrazadera rail U-40 pared soldada Abraçadeira trilho U-40 parede soldada U-40 welded rail support to the wall Support à mur soudé rail U-40		
			8	1,75
Cod. 4786		Abrazadera rail U-40 ajustable Abraçadeira trilho U-40 ajustável U-40 adjustable rail support Support réglable rail U-40		
			8	1,45
Cod. 4787		Abrazadera rail U-40 a techo Abraçadeira trilho U-40 para teto U-40 rail support to the ceiling Support à plafond rail U-40		
			8	1,95
Cod. 47810		Empalme para rail U-40 Conexão para trilho U-40 Joint for U-40 rail Joint pour rail U-40		
			3	1,42
Cod. 47801		Tope rail U-40 Topo trilho U-40 U-40 rail stopper Butée rail U-40		
			10	0,57
Cod. 461SE		Rollapar simple U-40 soldar extremo Rodízio simple U-40 soldar extremo End simple trolley U-40 to weld Chariot simple d'extrémité à souder U-40		
			6	2,61
Cod. 466S		Rollapar doble U-40 soldar central Rodízio duplo U-40 soldar central Middle double trolley U-40 to weld Chariot double intermédiaire à souder U-40		
			6	3,80
Cod. 48		Pernio gota 20x120 arandela Perno perfil gota anilha latão 20x120 Drop profile hinge 20x120 with brass washer Paumelle profil goutte 20x120 avec bague laiton		
			18	5,55
Cod. 780		Guiador inferior soldar central U-19 Guia inferior soldar central U-19 Middle bottom guide to weld U-19 Guide inférieur intermédiaire à souder U-19		
			10	2,88
Cod. 780E		Guiador inferior soldar extremo U-19 Guia inferior soldar extremo U-19 End bottom guide to weld U-19 Guide inférieur d'extrémité à souder U-19		
			6	1,65
Cod. 471		Rail inferior O-19 Trilho inferior O-19 Bottom rail O-19 Rail inférieur O-19		
Cod. 474		Rail inferior U-19 Trilho inferior U-19 Bottom rail U-19 Rail inférieur U-19		
			3 m	0-19 5,28 U-19 6,49



Para puerta plegable solapada hasta
Para porta dobrável com lapela até
For overlapping door up to
Pour porte superposée jusqu'à

50 kg




estebro®


ACERO INOXIDABLE - INOX - STAINLESS STEEL AISI 316

Cod. 472		Raíl superior U-40 Trilho superior U-40 Top rail U-40 Rail supérieur U-40		
			3 m	4,45
Cod. 47830		Abrazadera raíl U-40 para soldar Abraçadeira trilho U-40 para soldar U-40 rail support to weld Support à souder rail U-40		
			3	0,45
Cod. 47850		Abrazadera raíl U-40 pared soldada Abraçadeira trilho U-40 parede soldada U-40 welded rail support to the wall Support à mur soudé rail U-40		
			3	0,70
Cod. 47860		Abrazadera raíl U-40 ajustable Abraçadeira trilho U-40 ajustável U-40 adjustable rail support Support réglable rail U-40		
			3	0,55
Cod. 47870		Abrazadera raíl U-40 a techo Abraçadeira trilho U-40 para teto U-40 rail support to the ceiling Support à plafond rail U-40		
			3	0,79
Cod. 47811		Empalme para raíl U-40 Conexão para trilho U-40 Joint for U-40 rail Joint pour rail U-40		
			3	1,47
Cod. 47812		Tope raíl U-40 Topo trilho U-40 U-40 rail stopper Butée rail U-40		
			10	0,57
Cod. 468SE		Rollapar simple U-40 soldar extremo Rodízio simple U-40 soldar extremo End simple trolley U-40 to weld Chariot simple d'extrémité à souder U-40		
			6	2,61
Cod. 469S		Rollapar doble U-40 soldar central Rodízio duplo U-40 soldar central Middle double trolley U-40 to weld Chariot double intermédiaire à souder U-40		
			6	3,80
Cod. 712		Pernio gota 20x120 arandela Perno perfil gota anilha latão 20x120 Drop profile hinge 20x120 with brass washer Paumelle profil goutte 20x120 avec bague laiton		
			10	3,20
Cod. 781		Guiador inferior soldar central U-19 Guia inferior soldar central U-19 Middle bottom guide to weld U-19 Guide inférieur intermédiaire à souder U-19		
			10	2,88
Cod. 781E		Guiador inferior soldar extremo U-19 Guia inferior soldar extremo U-19 End bottom guide to weld U-19 Guide inférieur d'extrémité à souder U-19		
			6	1,65
Cod. 486		Raíl inferior U-19 Trilho inferior U-19 Bottom rail U-19 Rail inférieur U-19		
			3 m	4,36


Cods. 478 - 472




Cods. 4783 - 47830




Cod. 4784




Cods. 4785 - 47850




Cods. 4786 - 47860




Cods. 47810 - 47811




Cods. 4787 - 47870




Cods. 47801 - 47812




Cods. 461SE - 468SE




Cods. 466S - 469S




Cods. 48 - 712




Cods. 780 - 781




Cods. 780E - 781E



Cod. 471



Cods. 474 - 486



*Cod.486 espesor, espessura, thickness, épaisseur 2 mm



Para puerta plegable solapada hasta
 Para porta dobrável com lapela até
 For overlapping door up to
 Pour porte superposée jusqu'à

100 kg



estebro®


Cod. 479		Rail superior U-60 Trilho superior U-60 Top rail U-60 Rail supérieur U-60		
			3 m	10,60
Cod. 4793		Abrazadera rail U-60 para soldar Abraçadeira trilho U-60 para soldar U-60 rail support to weld Support à souder rail U-60		
			5	1,75
Cod. 4794		Abrazadera rail U-60 pared con tornillo Abraçadeira trilho U-60 parede com parafuso U-60 rail support with screw Support à mur avec vis rail U-60		
			5	2,75
Cod. 4795		Abrazadera rail U-60 pared soldada Abraçadeira trilho U-60 parede soldada U-60 welded rail support to the wall Support à mur soudé rail U-60		
			5	2,75
Cod. 4796		Abrazadera rail U-60 ajustable Abraçadeira trilho U-60 ajustável U-60 adjustable rail support Support réglable rail U-60		
			5	2,30
Cod. 47910		Empalme para rail U-60 Conexão para trilho U-60 Joint for U-60 rail Joint pour rail U-60		
			2	1,93
Cod. F479		Tope rail U-60 Topo trilho U-60 U-60 rail stopper Butée rail U-60		
			6	2,12
Cod. 462SE		Rollapar simple U-60 soldar extremo Rodízio simple U-60 soldar extremo End simple trolley U-60 to weld Chariot simple d'extrémité à souder U-60		
			4	2,04
Cod. 467S		Rollapar doble U-60 soldar central Rodízio duplo U-60 soldar central Middle double trolley U-60 to weld Chariot double intermédiaire à souder U-60		
			4	3,20
Cod. 48		Pernio gota 20x120 arandela Perno perfil gota anilha latão 20x120 Drop profile hinge 20x120 with brass washer Paumelle profil goutte 20x120 avec bague laiton		
			18	5,55
Cod. 780		Guiador inferior soldar central U-19 Guia inferior soldar central U-19 Middle bottom guide to weld U-19 Guide inférieur intermédiaire à souder U-19		
			10	2,88
Cod. 780E		Guiador inferior soldar extremo U-19 Guia inferior soldar extremo U-19 End bottom guide to weld U-19 Guide inférieur d'extrémité à souder U-19		
			6	1,65
Cod. 471		Rail inferior O-19 Trilho inferior O-19 Bottom rail O-19 Rail inférieur O-19		
			3 m	5,28
Cod. 474		Rail inferior U-19 Trilho inferior U-19 Bottom rail U-19 Rail inférieur U-19		
			3 m	6,49




ACERO INOXIDABLE - INOX - STAINLESS STEEL AISI 316

Cod. 485		Rail superior U-60 Trilho superior U-60 Top rail U-60 Rail supérieur U-60	AISI 304		3 m		11
Cod. 47930		Abrazadera rail U-60 para soldar Abraçadeira trilho U-60 para soldar U-60 rail support to weld Support à souder rail U-60			3		1,10
Cod. 47950		Abrazadera rail U-60 pared soldada Abraçadeira trilho U-60 parede soldada U-60 welded rail support to the wall Support à mur soudé rail U-60			3		1,60
Cod. 47960		Abrazadera rail U-60 ajustable Abraçadeira trilho U-60 ajustável U-60 adjustable rail support Support réglable rail U-60			3		1,30
Cod. 47911		Empalme para rail U-60 Conexão para trilho U-60 Joint for U-60 rail Joint pour rail U-60			2		1,92
Cod. 483SE		Rollapar simple U-60 soldar extremo Rodizio simple U-60 soldar extremo End simple trolley U-60 to weld Chariot simple d'extrémité à souder U-60			4		2,04
Cod. 484S		Rollapar doble U-60 soldar central Rodizio duplo U-60 soldar central Middle double trolley U-60 to weld Chariot double intermédiaire à souder U-60			4		3,20
Cod. 712		Pernio gota 20x120 arandela Perno perfil gota anilha latão 20x120 Drop profile hinge 20x120 with brass washer Paumelle profil goutte 20x120 avec bague laiton			10		3,20
Cod. 781		Guiador inferior soldar central U-19 Guia inferior soldar central U-19 Middle bottom guide to weld U-19 Guide inférieure intermédiaire à souder U-19			10		2,88
Cod. 781E		Guiador inferior soldar extremo U-19 Guia inferior soldar extremo U-19 End bottom guide to weld U-19 Guide inférieure d'extrémité à souder U-19			6		1,65
Cod. 486		Rail inferior U-19 Trilho inferior U-19 Bottom rail U-19 Rail inférieur U-19			3 m		4,36


Cods. 479 - 485




Cods. 4793 - 47930




Cod. 4794




Cods. 4795 - 47950




Cods. 4796 - 47960




Cods. 462SE - 483SE




Cods. 47910 - 47911




Cod. F479




Cod. 471




Cods. 467S - 484S




Cods. 48 - 712




Cods. 780 - 781



Cods. 780E - 781E



Cods. 474 - 486



*Cod. 486 espesor, espessura, thickness, épaisseur 2 mm

Puertas articuladas en curva

Portas articuladas em curva

Sliding curved doors

Portes coulissants cintrés

Hasta

Até

Up to

Jusqu'à

75 kg

150 kg

200 kg




ES Para mantener fija la curva superior, se recomienda encarcelar una placa sobre la que se sujetará una abrazadera de refuerzo.

PO Para manter fixa a curva superior, recomendamos encarcerar uma placa em cima da que se sujeite uma abraçadeira de reforço.

EN To keep the top bend fixed, it is recommended to seal a sheet in which we will fasten a rail support to reinforce it.

FR Pour maintenir la courbe supérieure fixe, il est recommandable de sceller une cornière sur laquelle on fixera un support en renfort.



ES Es necesario colocar tantos guidores inferiores como rollapares.

PO É necessário colocar tantas guias inferiores como rodízios.

EN It is necessary to install as many bottom guides as trolleys.

FR Il est nécessaire d'installer autant de guides inférieurs comme de chariots.



Cod. 478		Rail superior U-40 Trilho superior U-40 Top rail U-40 Rail supérieur U-40		
			3 m	4,45
Cod. 477		Curva superior U-40 Curva superior U-40 Top bend U-40 Coude supérieur U-40		
			1	1,85
Cod. 4783		Abrazadera rail U-40 para soldar Abraçadeira trilho U-40 para soldar U-40 rail support to weld Support à souder rail U-40		
			8	1,06
Cod. 4784		Abrazadera rail U-40 pared con tornillo Abraçadeira trilho U-40 parede com parafuso U-40 rail support with screw Support à mur avec vis rail U-40		
			8	1,75
Cod. 4785		Abrazadera rail U-40 pared soldada Abraçadeira trilho U-40 parede soldada U-40 welded rail support to the wall Support à mur soudé rail U-40		
			8	1,75
Cod. 4786		Abrazadera rail U-40 ajustable Abraçadeira trilho U-40 ajustável U-40 adjustable rail support Support réglable rail U-40		
			8	1,45
Cod. 4787		Abrazadera rail U-40 a techo Abraçadeira trilho U-40 para teto U-40 rail support to the ceiling Support à plafond rail U-40		
			8	1,95
Cod. 47810		Empalme para rail U-40 Conexão para trilho U-40 Joint for U-40 rail Joint pour rail U-40		
			3	1,42
Cod. 47801		Tope rail U-40 Topo trilho U-40 U-40 rail stopper Butée rail U-40		
			10	0,57
Cod. 461SE		Rollapar simple U-40 soldar extremo Rodízio simple U-40 soldar extremo End simple trolley U-40 to weld Chariot simple d'extrémité à souder U-40		
			6	2,61
Cod. 461S		Rollapar simple U-40 soldar central Rodízio simple U-40 soldar central Middle simple trolley U-40 to weld Chariot simple intermédiaire à souder U-40		
			6	2,75
Cod. 48		Pernio gota 20x120 arandela Perno perfil gota anilha latão 20x120 Drop profile hinge 20x120 with brass washer Paumelle profil goutte 20x120 avec bague laiton		
			18	5,55
Cod. 780		Guiador inferior soldar central U-19 Guia inferior soldar central U-19 Middle bottom guide to weld U-19 Guide inférieur intermédiaire à souder U-19		
			10	2,88



Para puerta articulada hasta
Para porta articulada até
For curved door up to
Pour porte cintrée jusqu'à


75 kg




estebro®

Cod. 780E		Guiador inferior soldar extremo U-19 Guia inferior soldar extremo U-19 End bottom guide to weld U-19 Guide inférieur d'extrémité à souder U-19	 6	 1,65
Cod. 471		Rail inferior O-19 Trilho inferior O-19 Bottom rail O-19 Rail inférieur O-19	 3 m	 5,28
Cod. 474		Rail inferior U-19 Trilho inferior U-19 Bottom rail U-19 Rail inférieur U-19	 3 m	 6,49
Cod. 481		Curva inferior U-19 para U-40 Curva inferior U-19 para U-40 Bottom bend U-19 for U-40 Coude inférieur U-19 pour U-40	 1 und	


Cod. 478




Cod. 4783




Cod. 4784




Cod. 4785




Cod. 4786




Cod. 47801





Cod. 4787




Cod. 47810





Cod. 461SE




Cod. 48




Cod. 461S




Cod. 780





Cod. 780E



Cod. 471



Cod. 474





Para puerta articulada hasta
Para porta articulada até
For curved door up to
Pour porte cintrée jusqu'à

150 kg




estebro®

Cod. 478		Rail superior U-40 Trilho superior U-40 Top rail U-40 Rail supérieur U-40		3 m		4,45
Cod. 477		Curva superior U-40 Curva superior U-40 Top bend U-40 Coude supérieur U-40		1		1,85
Cod. 4783		Abrazadera rail U-40 para soldar Abraçadeira trilho U-40 para soldar U-40 rail support to weld Support à souder rail U-40		8		1,06
Cod. 4784		Abrazadera rail U-40 pared con tornillo Abraçadeira trilho U-40 parede com parafuso U-40 rail support with screw Support à mur avec vis rail U-40		8		1,75
Cod. 4785		Abrazadera rail U-40 pared soldada Abraçadeira trilho U-40 parede soldada U-40 welded rail support to the wall Support à mur soudé rail U-40		8		1,75
Cod. 4786		Abrazadera rail U-40 ajustable Abraçadeira trilho U-40 ajustável U-40 adjustable rail support Support réglable rail U-40		8		1,45
Cod. 4787		Abrazadera rail U-40 a techo Abraçadeira trilho U-40 para teto U-40 rail support to the ceiling Support à plafond rail U-40		8		1,95
Cod. 47810		Empalme para rail U-40 Conexão para trilho U-40 Joint for U-40 rail Joint pour rail U-40		3		1,42
Cod. 47801		Tope rail U-40 Topo trilho U-40 U-40 rail stopper Butée rail U-40		10		0,57
Cod. 461SE		Rollapar simple U-40 soldar extremo Rodízio simple U-40 soldar extremo End simple trolley U-40 to weld Chariot simple d'extrémité à souder U-40		6		2,61
Cod. 466S		Rollapar doble U-40 soldar central Rodízio duplo U-40 soldar central Middle double trolley U-40 to weld Chariot double intermédiaire à souder U-40		6		3,80
Cod. 48		Pernio gota 20x120 arandela Perno perfil gota anilha latão 20x120 Drop profile hinge 20x120 with brass washer Paumelle profil goutte 20x120 avec bague laiton		18		5,55
Cod. 780		Guiador inferior soldar central U-19 Guia inferior soldar central U-19 Middle bottom guide to weld U-19 Guide inférieur intermédiaire à souder U-19		10		2,88




Cod. 780E		Guiador inferior soldar extremo U-19 Guia inferior soldar extremo U-19 End bottom guide to weld U-19 Guide inférieur d'extrémité à souder U-19		
			6	1,65
Cod. 471		Rail inferior O-19 Trilho inferior O-19 Bottom rail O-19 Rail inférieur O-19		
			3 m	5,28
Cod. 474		Rail inferior U-19 Trilho inferior U-19 Bottom rail U-19 Rail inférieur U-19		
			3 m	6,49
Cod. 481		Curva inferior U-19 para U-40 Curva inferior U-19 para U-40 Bottom bend U-19 for U-40 Coude inférieur U-19 pour U-40		
			1 und	


Cod. 478




Cod. 4783




Cod. 47801




Cod. 4784




Cod. 4785




Cod. 4786




Cod. 4787




Cod. 47810




Cod. 461SE




Cod. 466S




Cod. 48




Cod. 780





Cod. 780E



Cod. 471



Cod. 474





Cod. 479		Rail superior U-60 Trilho superior U-60 Top rail U-60 Rail supérieur U-60		3 m		10,60
Cod. 480		Curva superior U-60 Curva superior U-60 Top bend U-60 Coude supérieur U-60		1		4,00
Cod. 4793		Abrazadera rail U-60 para soldar Abraçadeira trilho U-60 para soldar U-60 rail support to weld Support à souder rail U-60		5		1,75
Cod. 4794		Abrazadera rail U-60 pared con tornillo Abraçadeira trilho U-60 parede com parafuso U-60 rail support with screw Support à mur avec vis rail U-60		5		2,75
Cod. 4795		Abrazadera rail U-60 pared soldada Abraçadeira trilho U-60 parede soldada U-60 welded rail support to the wall Support à mur soudé rail U-60		5		2,75
Cod. 4796		Abrazadera rail U-60 ajustable Abraçadeira trilho U-60 ajustável U-60 adjustable rail support Support réglable rail U-60		5		2,30
Cod. 47910		Empalme para rail U-60 Conexão para trilho U-60 Joint for U-60 rail Joint pour rail U-60		2		1,93
Cod. F479		Tope rail U-60 Topo trilho U-60 U-60 rail stopper Butée rail U-60		6		2,12
Cod. 462SE		Rollapar simple U-60 soldar extremo Rodízio simple U-60 soldar extremo End simple trolley U-60 to weld Chariot simple d'extrémité à souder U-60		4		2,04
Cod. 467S		Rollapar doble U-60 soldar central Rodízio duplo U-60 soldar central Middle double trolley U-60 to weld Chariot double intermédiaire à souder U-60		4		3,20
Cod. 48		Pernio gota 20x120 arandela Perno perfil gota anilha latão 20x120 Drop profile hinge 20x120 with brass washer Paumelle profil goutte 20x120 avec bague laiton		18		5,55
Cod. 780		Guiador inferior soldar central U-19 Guia inferior soldar central U-19 Middle bottom guide to weld U-19 Guide inférieur intermédiaire à souder U-19		10		2,88



Para puerta articulada hasta
Para porta articulada até
For curved door up to
Pour porte cintrée jusqu'à


200 kg




estebro®

Cod. 780E		Guiador inferior soldar extremo U-19 Guia inferior soldar extremo U-19 End bottom guide to weld U-19 Guide inférieur d'extrémité à souder U-19	 6	 1,65
Cod. 471		Rail inferior O-19 Trilho inferior O-19 Bottom rail O-19 Rail inférieur O-19	 3 m	 5,28
Cod. 474		Rail inferior U-19 Trilho inferior U-19 Bottom rail U-19 Rail inférieur U-19	 3 m	 6,49
Cod. 4811		Curva inferior U-19 para U-60 Curva inferior U-19 para U-60 Bottom bend U-19 for U-60 Coude inférieur U-19 pour U-60	 1 und	


Cod. 479




Cod. 4793




Cod. 4794




Cod. 4795




Cod. 4796




Cod. F479




Cod. 47910




Cod. 462SE




Cod. 48




Cod. 467S




Cod. 780





Cod. 471



Cod. 474



Cod. 780E



Instalación paso a paso

Instalação passo a passo | Step by step assembly | Installation pas à pas




estebro®

Puertas correderas colgadas

Portas corrediças penduradas

Hanging sliding doors

Portes coulissants suspendues




Puertas plegables solapadas

Portas dobráveis solapadas

Sliding doors with overlapping panels

Portes pliantes à panneaux superposés



Puertas articuladas en curva

Portas articuladas em curva

Sliding curved doors

Portes coulissantes cintrées

